

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

ATTORNEYS AT LAW

HOO NEW YORK AVENUE, N.W., SUITE 600 WASHINGTON, D.C. 20005-3934

www.skaf.com

PHONE: (202) 371-2600 FACSIMILE: (202) 371-2540

ROBERT GREENE STERNE EDWARD J. KESSLER JORGE A. GOLDSTEIN SAMUEL L FOX DAVID K.S. CORNWELL ROBERT W. ESMOND TRACY-GENE G. DURKIN MICHELE A CIMBALA MICHAEL B. RAY ROBERT E. SOKOHL ERIC K. STEFFE MICHAEL Q LEE

STEVEN R LUDWIG JOHN M. COVERT LINDA E ALCORN RAZ E. FLESHNER ROBERT C MILLONIG MICHAEL V MESSINGER JUDITH U KIM TIMOTHY J SHEA, JR DONALD R. MCPHAIL PATRICK E GARRETT STEPHEN G. WHITESIDE JEFFREY T HELVEY

HEIDI L. KRAUS JEFFREY R. KURIN RAYMOND MILLIEN PATRICK D. O'BRIEN LAWRENCE B BUGAISKY CRYSTAL D SAYLES* EDWARD W YEE ALBERT L FERRO* DONALD R. BANGWIT PETER A JACKMAN MOLLY A MCCALL TERESA U MEDLER

IFFEDEY S WEAVED KRISTIN K. VIDOVICH KENDRICK P PATTERSON DONALD J FEATHERSTONE GRANT E. REED VINCENT L CAPUANO JOHN A. HARROUN* MATTHEW M CATLETT NATHAN K KELLEY* ALBERT J. FASULO II * W BRIAN EDGE*

KAREN R. MARKOWICZ** SUZANNE E ZISKA** BRIAN J DEL BUONO**
ANDREA J KAMAGE**
NANCY J LEITH** TARJA H NAUKKARINEN**

*BAR OTHER THAN D.C. **REGISTERED PATENT AGENTS

August 2, 2000

WRITER'S DIRECT NUMBER: (202) 371-2626 INTERNET ADDRESS: sludwig@skgf com

Commissioner for Patents Washington, D.C. 20231

Box Patent Application

U.S. Non-Provisional Utility Patent Application under 37 C.F.R. § 1.53(b)

Appl. No. (to be assigned); filed (herewith)

Novel Bacterial Strains, Methods of Preparing the Same and Use Thereof in Fermentation Processes for L-Lysine Production

Inventors: Liaw et al.

Our Ref: 1533.0730001/SRL/TBB

Sir

The following documents are forwarded herewith for appropriate action by the U.S. Patent and Trademark Office:

- Fee Transmittal (Form PTO/SB/17) (in duplicate); 1.
- Utility Patent Application Transmittal (Form PTO/SB/05); 2
- U.S. Utility Patent Application entitled: 3.

Novel Bacterial Strains, Methods of Preparing the Same and Use thereof in Fermentation Processes for L-Lysine Production

and naming as inventors:

Hungming J. Liaw John Eddington Yueqin Yang

Commissioner for Patents August 2, 2000 Page 2

> Richard Dancey Stacia Swisher Weiying Mao

the application consisting of:

- a. A specification containing:
 - i. 21 pages of description prior to the claims;
 - ii. 6 pages of claims (claims 1-23); and
 - iii. 1 page abstract;
- b. Two (2) sheets of drawings (Figures 1A and 1B); and
- c. An original executed Declaration for Patent Application;
- Authorization To Treat A Reply As Incorporating An Extension Of Time Under 37 C.F.R. § 1.136(a)(3) (in duplicate);
- A Power of Attorney from Assignee, executed on behalf of Archer-Daniels-Midland Company;
- A Certificate Under 37 C.F.R. § 3.73(b), executed on behalf of Archer-Daniels-Midland Company;
- Two sheets of Formal Drawings (Figures 1A and 1B);
- 8. Two (2) return postcards; and
- 9. Our check No. 38279 for \$978.00 to cover:
 - \$690.00 Basic filing fee (37 C.F.R. § 1.16(a));
 - 234.00 Independent claims in excess of three (37 C.F.R. § 1.16(b)); and
 - 54.00 Claims in excess of twenty (37 C.F.R. § 1.16(c)).

It is respectfully requested that, of the two attached postcards, one be stamped with the filing date of these documents and returned to our courier, and the other, prepaid postcard, be stamped with the filing date and unofficial application number and returned as soon as possible. The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or

Commissioner for Patents August 2, 2000 Page 3

- -- - - -

credit any overpayment, to our Deposit Account No. 19-0036. A duplicate copy of this letter is enclosed.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Steven R. Ludwig Attorney for Applicants

Registration No. 36,203

SRL/TBB/dab P:\USERS\DENISEB\1533\0731appcov Enclosures

	Please type a sign(+) inside this box → 🖽	PTO/SB/05 (2/ Approved for use through 09/30/2000 OMB 0651-00	
	er the Paperwork Reduction Act of 1995, no persons are required to respond to a co	Patent and Trademark Office U S DEPARTMENT OF COMMERC	
na	er the Paperwork Reduction Act of 1995, no persons are required to respond to a co-	Attorney Docket No. 1533.0730001/SRL/TBB	_
	UTILITY PATENT APPLICATION TRANSMITTAL	First Inventor or Application Identifier Hungming J Liaw et al.	_
	(Only for new nonprovisional applications under 37 CFR § 1.53(b))	Title Novel Bacterial Strains, Methods of Preparing the Safet and the Use Thereof in Fermentation Processes for L-Lysum Production	_
		Express Mail Label No. 0	ă
		Assistant Commissioner for Patents	₹
	APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents	ASSISTANT Commissioner for Patents ADDRESS TO. Box Patent Application Washington, DC 20231	2
	* Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original, and a displicate for fee processing)	Microfiche Computer Program (Appendix) Nucleotide and/or Amino Acid Sequence Submission (if	
2.	Specification [Total Pages 28] (preferred arrangement set forth below) - Descriptive title of the Invention	applicable, all necessary) a. Computer Readable Copy	
	- Cross References to Related Applications - Statement Regarding Fed sponsored R. & D - Reference to Microfiche Appendix - Background of the Invention - Background of the Invention - Company of the Co	b. Paper Copy (identical to computer copy)	
	Brief Summary of the Invention Brief Description of the Drawnigs (if filed) Detailed Description Claim(s) Abstract of the Disclosure	c. Statement verifying identity of above copies	
		ACCOMPANYING APPLICATION PARTS	_
3.	☐ Drawing(s) (35 U.S.C. 113) [Total Sheets]	8 Assignment Papers (cover sheet & document(s))	-
1.	☐ Oath or Declaration [Total Pages 3]	9 X 37 CFR 3 73(b) Statement Power of Attorney (when there is an assignee)	
	 Newly executed (original or copy) 	10 English Translation Document (tf applicable)	
	Copy from a prior application (37 CFR 1.63(d)) for continuation/divisional with Box 17 completed) [Note Box 5 below]	11	
	i. DELETION OF INVENTOR(S)	12 Preliminary Amendment	
	Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR §§ 1 63(d)(2) and 1 33(b)	13 🔀 Return Receipt Postcard (MPEP 503) (Should be specifically itemzed) Statement filed in prior	
5.	Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the	14 *Small Entity Statement(s) Statement application, Status still proper and desired	r
	oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.	15 Certified Copy of Priority Document(s) (If foreign priority is claimed)	
		16 Other. (1) 37 C F R § 1.136(a)(3) Authorization (in duplicate) (2) Two (2) sheets Formal Drawings (Figures 1A & 1B)	
		*NOTE FOR ITEMS 1.8. [4] IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C. F. R. § 1.37), EXCEPT IF ONE FILED IN-PRIOR APPLICATION IS RELIED (10'00) (37 C. F. R. § 1.24).	i
17	 If a CONTINUING APPLICATION, check appropriate box, and so 	upply the requisite information below and in a preliminary amendment	
	□ Continuation □ Divisional □ Continuation-in	n-Part (CIP) of prior application No:/	
	Prior application information: Examiner	Group/Art Unit:	
_	18. CORRESPON	IDENCE ADDRESS	_
	Customer Number	or 🛭 Correspondence	

☐ Customer Number or ☑ Correspondence or Bar Code Label								
AME	STERNE, KESSLER, GOI	DSTEIN & FOX P L L C						
	Attorneys at Law							
DDRESS	Suite 600, 1100 New Y	ork Avenue, N W						
ITY	Washington	STATE	DC	ZIP CODE	20005-3934			
OUNTRY	USA	TELEPHONE	(202) 371-2600	FAX	(202) 371-2540			

Registration No. (Attorney/Agent) NAME (Print/Type) Steven R. Ludwig August 2, 2000 SIGNATURE

Burden Hour Statement: this form is estimated to take 0.2 hours to complete complete this form should be sent to the Chief Information Officer, Patent and TO. Assistant Commissioner for Patents, Washington, DC 20231 will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to mark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE

FEE TRANSMITTAL

for FY 2000 Patent fees are subject to annual revision Small Entity payments must be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12. See 37 C.F.R. §§ 1.27 and 1.28.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Complete if Known Application Number (to be assigned) Filing Date (herewith) First Named Inventor Hungming J. Liaw et al. **Examiner Name** (to be assigned) Group / Art Unit (to be assigned)

(\$)978.00 Attorney Docket Number TOTAL AMOUNT OF PAYMENT o

METHOD	ETHOD OF PAYMENT (check one) FEE CALCULATION (continue				CALCULATION (continued)	54	
 □ The Commission indicated fees at 	 The Commissioner is hereby authorized to charge indicated fees and credit any overpayment to. 			FEES			U.S. 6304
Deposit Account Number 19-0	036	Large	Entity	Small	Entity		25873 U.S
Deposit Account Name Stern	e, Kessler, Goldstein & Fox P L L C	Fee Code	Fec (\$)	Fee Code	Fee (\$)	Fee Description	Paid
Па	narge Any Additional Fee Required	105	130	205	65	Surcharge - late filing fee or oath	
Ü	narge Any Additional Fee Required inder 37 CFR §§ 1.16 and 1 17	127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
0 KZ	M D.,	139	130	139	130	Non-English specification	
Chame any defi	t: Check Money Order Other	147	2,520	147	2,520	For filing a request for reexamination	
the fees or fee	calculations of Parts 1, 2 and 3 below ount No. 19-0036.	112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
FE)	E CALCULATION	113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
Q		115	110	215	55	Extension for reply within first month	
BASIC FILING FEE		116	380	216	190	Extension for reply within second month	
Large Entity Small En		117	870	217	435	Extension for reply within third month	
Fee Fee Fee Fe Code (\$) Code (\$		118	1,360	218	680	Extension for reply within fourth month	
PF01 690 201 34		128	1,850	228	925	Extension for reply within fifth month	
E		119	300	219	150	Notice of Appeal	
106 310 206 15		120	300	220	150	Filing a brief in support of an appeal	
107 480 207 24	Plant filing fee	121	260	221	130	Request for oral hearing	
108 690 208 33	34 Reissue filing fee	138	1,510	138	1,510	Petition to institute a public use proceeding	\perp
-1:14 150 214 T	75 Provisional filing fee	140	110	240	55	Petition to revive - unavoidable	
SUB ^T	FOTAL (1) (\$) 690,00	141	1,210	241	605	Petition to revive - unintentional	
10	., .,	142	1,210	242	605	Utility issue fee (or reissue)	\vdash
C)		143	430	243	215	Design issue fee	
2. EXTRA CLAIM FEE	S Fee from Extra below Fee Paid	144	580 130	122	130	Plant issue fee Petitions to the Commissioner	
Total Claims 23 - 20*	*= <u>3</u> X <u>18</u> = <u>54</u>	. '22	150	122	100	7 GEROLIS CO VICE COLLEGISCO	
Indep. Claims6-3**	= <u>3</u> X <u>78</u> = <u>234</u>	123	50	123	50	Petitions related to provisional applications	
Multiple Dependent	0 = .rf greater, For Reissues, see below	126	240	126	240	Submission of Information Disclosure Stmt	
Large Entity Small Er Fee Fee Fee Fe Code (\$) Code (\$	ntity e Fee Description	581	40	581	40	Recording each patent assignment per property (times number of properties)	
	Claims in excess of 20	146	690	246	345	Filing a submission after final rejection (37 CFR 1.129(a))	
102 78 202 3	9 Independent claims in excess of 3	149	690	249	345	For each additional invention to be examined	\vdash
104 260 204 13	· ·	149	990	∠49	345	(37 CFR 1.129(b))	
108 78 209 39 **Reissue independent claims over onginal patent			(specify):				
110 18 210	9 **Reissue claims in excess of 20 and	Other fee	(specify) .				
1	over original patent	*Reduced	by Basic F	iling Fe	e Paid		
SUBTO	TAL (2) (\$) 288.00	-				SUBTOTAL (3) (\$) -0-	

SUBMITTED BY		Complete (if applicable)		
Typed or Printed Name	Steven R. Ludwig		Reg. Number	36,203
Signature	Date Date	August 2, 2000	Deposit Acct. User iD	

WARNING:

WARNING: Information on this form part become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burdon Hour Statement. This form is estimated to take 0.2 hours to congride. Ture will very depending upon the needs of the neighbor of the amount of three you were a congrided to the congrided

Certificate Under 37 C.F.R. § 3.73(b)

Hungming J. Liaw, John Eddington, Yueqin Yang, Richard Dancey

Applicant/Patent Owner: Stacia Swisher and Weiving Mao

Applicat	ion No./Patent No.:	(to be assigned)	Filed/Issue Date: (herewith)
	Novel Bacterial Strain	s, Methods of Preparing	g the Same and Use Thereof in Fermentation
Entitled:	Processes for L-Lysin	e Production	
	Archer-Daniels-Midland (Name of Assignee)	l Company , a	Corporation (Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)
	(Name or Assignee)		(Type or Assigned, e.g., corporation, partnership, and easily, government against, easy
states th	at it is:		
1. [X]	the assignee of the entire	right, title, and interes	st, or
2. []	an assignee of an undivi	ded part interest	
in the pa	tent application/patent ic	entified above by virtu	e of either:
A. [X]	An Assignment from the was recorded in the Pate thereof is attached.	e inventor(s) of the pate ent and Trademark Offi	ent application/patent identified above. The assignment ce at Reel <u>010227</u> , Frame <u>0834</u> , or for which a copy
OR			
В. []	A chain of title from the assignee as shown below		nt application/patent identified above to the current
	1. From: The document Reel	was recorded in the Pat	tent and Trademark Office at , or for which a copy thereof is attached.
	2. From:	To:	
	The document	was recorded in the Par	tent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
	3. From:	To:	
	The document	was recorded in the Pa	tent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
			re listed on a supplemental sheet.
[] Cop	ies of assignments or oth	er documents in the cha	nin of title are attached.
	[NOTE: A separate cor	y (i.e., the original assi	gnment document or a true copy of the original
	document) must be sub-	nitted to Assignment D	Division in accordance with 37 CFR Part 3, if
	the assignment is to be	recorded in the records	of the PTO. See MPEP 302-302.8]
The unc	lersigned (whose title is s	supplied below) is emp	owered to act on behalf of the assignee.
	1111 V 18 20	00	
Date:	JULY 18, 20		
Name:	David J. Smith		
Title:	Vice President	, Secretary & General (Counsel
Signatu	re:	ω	
(Attv. I	okt. 1533.0730001/SRL/	ГВВ)	
	ENISER/CERTIFIC/15330731		

P \USERS\DENISEB\CI SKGF Rev 3/31/00 mac

Novel Bacterial Strains, Methods of Preparing the Same and Use Thereof in Fermentation Processes for L-Lysine Production

Inventors: Hungming J. Liaw

John Eddington Yueain Yang Richard Dancey Stacia Swisher Weiving Mao

Background of the Invention

Field of the Invention

The present invention relates to the fields of microbiology and microbial genetics. More specifically, the invention relates to novel bacterial strains, methods and processes useful for the fermentative production of amino acids.

Related Art

Following the recognition that Corynebacteria were useful for the fermentative production of amino acids (S. Kinoshita et al., Proceedings of the International Symposium on Enzyme Chemistry 2:464-468 (1957)), the industrial production of L-lysine became an economically important industrial process. Commercial production of this essential amino acid is principally done utilizing the gram positive Corynebacterium glutamicum, Brevibacterium flavum and Brevibacterium lactofermentum (Kleemann, A., et. al., "Amino Acids," in Ullmann's Encyclopedia of Industrial Chemistry, vol. A2, pp.57-97, Weinham: VCH-Verlagsgesellschaft (1985)). These organisms presently account for the approximately 250,000 tons of L-lysine produced annually.

The efficiency of commercial production of L-lysine may be increased by the isolation of mutant bacterial strains which produce larger amounts of L-lysine. Microorganisms employed in microbial process for amino acid production are

5

10

20

20

divided into 4 classes: wild-type strain, auxotrophic mutant, regulatory mutant and auxotrophic regulatory mutant (K. Nakayama et al., in Nutritional Improvement of Food and Feed Proteins, M. Friedman, ed., (1978), pp. 649-661). Mutants of Corynebacterium and related organisms enable inexpensive production of amino acids from cheap carbon sources, e.g., mollasses, acetic acid and ethanol, by direct fermentation. In addition, the stereospecificity of the amino acids produced by fermentation (the L isomer) makes the process advantageous compared with synthetic processes.

Given the economic importance of L-lysine production by the fermentive process, the biochemical pathway for lysine synthesis has been intensively investigated, ostensibly for the purpose of increasing the total amount of L-lysine produced and decreasing production costs (recently reviewed by Sahm et al., Ann. N. Y. Acad. Sci. 782:25-39 (1996)). Entry into the lysine pathway begins with L-aspartate (see Figure 1), which itself is produced by transamination of oxaloacetate. A special feature of C. glutamicum is its ability to convert the lysine intermediate piperidine 2,6-dicarboxylate to diaminopimelate by two different routes, i.e., by reactions involving succinylated intermediates or by the single reaction of diaminopimelate dehydrogenase. Overall, carbon flux into the pathway is regulated at two points: first, through feedback inhibition of aspartate kinase by the levels of both L-threonine and L-lysine; and second through the control of the level of dihydrodipicolinate synthase. Increased production of L-lysine may be therefore obtained in Corynebacteria by deregulating and increasing the activity of these two enzymes.

In addition to the biochemical pathway leading to L-lysine synthesis, recent evidence indicates that the transportation of L-lysine out of cells into the media is another factor to be considered in the development of lysine over-producing strains of C. glutamicum. Studies by Krämer and colleagues indicate that passive transport of lysine out of the cell, as the result of a leaky membrane, is not the sole explanation for lysine efflux; their data suggest a specific carrier with the following properties: (1) the transporter possesses a rather high Km value for lysine

(20mM); (2) the transporter is an OH symport system (uptake systems are H* antiport systems); and (3) the transporter is positively charged, and membrane potential stimulates secretion (S. Bröer and R. Krämer, *Eur. J. Biochem.* 202: 137-143 (1991).

5

10

Several fermentation processes utilizing various strains isolated for auxotrophic or resistance properties are known in the art for the production of L-lysine: U.S. Patent No. 2,979,439 discloses mutants requiring homoserine (or methionine and threonine); U.S. Patent No. 3,700,557 discloses mutants having a nutritional requirement for threonine, methionine, arginine, histidine, leucine, isoleucine, phenylalanine, cystine, or cysteine; U.S. Patent No. 3,707,441 discloses a mutant having a resistance to a lysine analog; U.S. Patent No. 3,687,810 discloses a mutant having both an ability to produce L-lysine and a resistance to bacitracin, penicillin Gor polymyxin; U.S. Patent No. 3,708,395 discloses mutants having a nutritional requirement for homoserine, threonine, threonine and methionine, leucine, isoleucine or mixtures thereof and a resistance to lysine, threonine, isoleucine or analogs thereof; U.S. Patent No. 3,825,472 discloses a mutant having a resistance to a lysine analog; U.S. Patent No. 4,169,763 discloses mutant strains of Corynebacterium that produce L-lysine and are resistant to at least one of aspartic analogs and sulfa drugs; U.S. Patent No. 5,846,790 discloses a mutant strain able to produce L-glutamic acid and L-lysine in the absence of any biotin action-surpressing agent; and U.S. Patent No. 5,650,304 discloses a strain belonging to the genus Corynebacterium or Brevibacterium for the production of L-lysine that is resistant to 4-N-(D-alanyl)-2,4-diamino-2,4-dideoxy-L-arabinose 2,4-dideoxy-L-arabinose or a derivative thereof.

20

More recent developments in the area of L-lysine fermentive production in *Corynebacteria* involve the use of molecular biology techniques to augment lysine production. The following examples are provided as being exemplary of the art: U. S. Patent Application Nos. 4,560,654 and 5,236,831 disclose an L-lysine producing mutant strain obtained by transforming a host *Corynebacterium* or *Brevibacterium* microorganism which is sensitive to S-(2-aminoethyl)-cysteine

25

with a recombinant DNA molecule wherein a DNA fragment conferring resistance to S-(2-aminoethyl)-cysteine and lysine producing ability is inserted into a vector DNA; U. S. Patent Application No. 5,766,925 discloses a mutant strain produced by integrating a gene coding for aspartokinase, originating from *Coryneform* bacteria, with desensitized feedback inhibition by L-lysine and L-threonine, into chromosomal DNA of a *Coryneform* bacterium harboring leaky type homoserine dehydrogenase or a *Coryneform* bacterium deficient in homoserine dehydrogenase gene.

Many process designed utilizing bacterial mutant strains are designed to weaken bacterial growth and hence to enhance the yield of amino acid production through supplementation with other nutrients. Usually, mutants designed to improve the percent yield of an amino acid from substrates such as glucose will also lose their ability for vigorous growth like their wild type strains. Besides resulting in an overall decrease in amino acid yield, these mutants also require more nutrients to support their growth, which can increase the cost in the production significantly.

Thus, there is a continuing need in the art for the development of novel amino acid producing bacterial strains that enable maximized yields of a particular amino acid at a low cost of production. In view of these problems, an alternative method comprises special mutants and media that is employed to increase the productivity and to decrease the ingredient cost.

Summary of the Invention

The invention provides generally for novel microorganisms with improved raffinate resistance and improved growth properties, which enables higher yields of amino acid to be produced.

A first object of the invention provides novel methods for the production of microorganisms with increased ability to produce amino acids. In a first embodiment of the invention, a method is provided for the production of a novel

20

25

strain by way of mutagenesis of an amino acid-producing, parental bacterial strain and subsequent selection for the improved raffinate resistant strains of the invention. In a more specific embodiment of the invention, the methods are drawn to amino acid-producing, parental bacterial strains such as *Corynebacterium* and *Brevibacterium*. A particularly favored embodiment is drawn to a method for the production of an improved raffinate-resistant, amino acid producing bacterial strain that is *Brevibacterium* which produces L-lysine.

Another object of the invention is drawn to novel bacterial strains with improved raffinate-resistance, improved growth characteristics and that produce larger amounts of amino acid. In a first embodiment, bacterial strains of the invention are produced by a process wherein a parental bacterial strain is subjected to mutagenesis and mutant progeny bacteria are selected for improved raffinate-resistance, improved growth characteristics and improved amino acid production. A more specific embodiment is drawn to novel Corynebacterium or Brevibacterium microorganisms with improved raffinate-resistance, improved growth characteristics and improved amino acid production. Particularly favored embodiments of the invention are drawn to Brevibacterium that produce large amounts of L-lysine. Most favored embodiments are drawn to the strains ADM L63.148 (NRRL B-30059), ADM L64.132 (NRRL B-30060), ADM L69.53 (NRRL B-30061), ADM L69.74 (NRRL B-30062), and ADM L69.100 (NRRL B-30063), or mutants thereof.

A third object of the invention provides processes for the production of an amino acid comprising the steps of (a) culturing a bacterium in a raffinate containing medium and (b) recovering the amino acid from the culture media. In a preferred embodiment, the cultured bacteria of step (a) is obtained by a method in which an amino acid-producing, parental bacterial strain is subjected to mutagenesis and progeny are selected for improved raffinate-resistance, improved growth characteristics and improved production of an amino acid. Favored embodiments are drawn to processes for the production of an amino acid that utilize Corynebacterium or Brevibacterium. Particularly favored embodiments of

the invention for processes for the production of an amino acid utilize

5

Brevibacterium that produce L-lysine.

It is to be understood that both the foregoing general description and the

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are intended to provide further explanation of the invention as claimed.

Brief Description of the Figures

Figure 1. A) A schematic presentation of the biochemical pathway leading to L-lysine production in *Corynebacterium*; B) A schematic presentation of the biochemical pathway leading to L-isoleucine production in *Corynebacterium*.

Detailed Description of the Preferred Embodiments

1. Definitions

In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided.

High Yield Derivative: As used herein, the term refers to strain of microorganism that produces a higher yield from dextrose of a specific amino acid when compared with the parental strain from which it is derived.

Mutation: As used herein, the term refers to a single base pair change, insertion or deletion in the nucleotide sequence of interest.

Operon: As used herein, the term refers to a unit of bacterial gene expression and regulation, including the structural genes and regulatory elements in DNA.

Parental Strain: As used herein, the term refers to a strain of microorganism subjected to some form of mutagenesis to yield the microorganism of the invention.

20

15

Phenotype: As used herein, the term refers to observable physical characteristics dependent upon the genetic constitution of a microorganism.

Raffinate: As used herein, the term refers to a wastestream product from an ion-exchange operation for lysine recovery. Raffinate contains a large amount of ammonia sulfate, L-lysine, other amino acids, salts, and carbohydrates such as isomaltose. Sterilization of a raffinate-containing medium using heat treatment produces amino acid derivatives and other metabolic antagonists which cause the inhibition of culture growth.

Heat sterilized raffinate-containing medium may be used to select microorganisms, e.g., Brevibacterium or Corynebacterium, that are resistant to amino acid derivatives contained therein that inhibit culture growth; that are resistant to metabolic inhibitors contained therein that inhibit culture growth and/or that are resistant to degradation products of lysine and/or precursors to lysine contained therein that inhibit culture growth.

Relative Growth: As used herein, the term refers to a measurement providing an assessment of growth by directly comparing growth of a parental strain with that of a progeny strain over a defined time period and with a defined medium.

Mutagenesis: As used herein, the term refers to a process whereby a mutation is generated in DNA. With "random" mutatgenesis, the exact site of mutation is not predictable, occurring anywhere in the chromosome of the microorganism, and the mutation is brought about as a result of physical damage caused by agents such as radiation or chemical treatment.

2. Mutagenesis of Parental Bacterial Strains

The invention provides methods for the production of microorganisms that produce large amounts of an amino acid and have improved resistance to raffinate. Through the course of studies, it has now been found that ammonia sulfate which is required for the growth and amino acid biosynthesis may be replaced with

20

determining L-lysine production of said raffinate-resistant (d) The parental strain may be mutagenized using any random mutagenesis technique known in the art, including, but not limited to, radiation and chemical procedures. Particularly preferred is random chemical mutagenesis, and most preferable is mutagenesis using a suitable agent such as N-methyl-N'-nitro-N-

General methods for mutagenesis and selection of novel bacterial strains are well known in the art and are described, for example, in J.H. Miller,

raffinate, a wastestream product from an ion-exchange operation of lysine recovery. Raffinate contains a lot of ammonia sulfate, L-lysine, other amino acids, salts, and carbohydrates such as isomaltose. During heat treatment to sterilize the medium, however, this raffinate medium produces a lot of amino acid derivatives and other metabolic antagonists which causes the inhibition of growth for culture. To overcome this problem, a method was designed to select strains which can resist high levels of raffinate in the medium and increase their amino acid production.

Bacterial strains of the invention are preferably made by means of mutagenesis of a parental bacterial strain followed by selection of the improved raffinate-resistant phenotype. Parental microorganisms may be selected from any organism known in the art to be useful for the fermentative production of amino acids: favored parental microorganisms are Corynebacterium and Brevibacterium that produce an amino acid, and most particularly favored organisms are Corynebacterium and Brevibacterium that produce L-lysine.

In a first embodiment, the invention provides a methods for the production of improved raffinate-resistant, amino acid-producing, bacterial strains comprising:

- subjecting a parental bacterial strain A to mutagenesis; (a)
- contacting said mutagenized parental strain A with a (b) medium containing at least about 1% raffinate based on ammonia sulfate content;
 - selecting raffinate-resistant bacterial strain B; and (c)
- bacterial strain B.

nitrosoguanidine (NTG).

5

20

25

Experiments in Molecular Genetics, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1972); J.H. Miller, A Short Course in Bacterial Genetics, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1992); M. Singer and P. Berg, Genes & Genomes, University Science Books, Mill Valley, California (1991); J. Sambrook, E.F. Fritsch and T. Maniatis, Molecular Cloning: A Laboratory Manual, 2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1989); P.B. Kaufman et al., Handbook of Molecular and Cellular Methods in Biology and Medicine, CRC Press, Boca Raton, Florida (1995); Methods in Plant Molecular Biology and Biotechnology, B.R. Glick and J.E. Thompson, eds., CRC Press, Boca Raton, Florida (1993); and P.F. Smith-Keary, Molecular Genetics of Escherichia coli, The Guilford Press, New York, NY (1989).

Strains of the invention have an improved raffinate resistant phenotype, which is determined by the concentration of raffinate, as measured by ammonium sulfate content, in the selection medium employed. In a first embodiment, phenotype selection may be done in a medium containing at least about 1% raffinate. In a most preferred embodiment, microorganisms of the invention are selected in medium containing about 5% raffinate. Other examples include at least about 2%, 3%, 4%, 5%, 6%, 7%, and 8% raffinate containing medium for use in the selection of improved raffinate resistant strains.

The invention provides generally for novel microorganisms with improved raffinate resistance and improved growth properties, which enables higher yields of amino acid to be produced. An important element or property of the methods, processes or microorganisms of the invention is related to raffinate resistance.

Skilled artisans in the art of fermentative amino acid production are familiar with the term "raffinate" as used herein. However, for the purposes of more fully providing a detailed description of Applicants' invention, a definition of raffinate and a method for its production are provided.

The term "raffinate" is most closely associated with the chemical engineering field in the area of liquid-liquid extraction. The term is defined in

25

solvent refining as "that portion of the treated liquid mixture that remains undissolved and is not removed by the selective solvent" (Dictionary of Scientific and Technical Terms, Sybil P. Parker, ed., McGraw-Hill (1989)). As used herein, the term is associated with the application of ion-exchange chromatography in the isolation of amino acids. In an analogous fashion to the process of liquid-liquid extraction, the term raffinate as used in connection with ion-exhange chromatography refers to that portion of the liquid mixture that is not selectively bound by the chromatographic resin. More specifically, in connection with the fermentative production of amino acids, the raffinate is that portion of the cell culture media that does not bind to the chromatographic column; raffinate is the broth effluent waste stream product generated during the ion-exchange chromatographic purification of an amino acid. Typically, as used herein, raffinate refers to the first waste stream product generated after the initial application of the growth media to the ion-exchange resin.

A variety of ion-exchange chromatographic methods may be utilized for the purification of amino acids. Typically, cation exchange resins are utilized for the purification of lysine. Ion-exchange chromatography may be done utilizing a fixed bed or simulated moving bed resin. For example, Van Walsern and Thompson describe a simulated moving bed technique for the isolation of lysine (Van Walsem, H. J. and Thompson, M. C., J. Biotechnology 59:127-132 (1997); U.S. Patent Nos. 4,714,767 and 5,684,190 describe the use of a fixed bed chromatographic technique for the purification of amino acids and Wolfgang and Prior utilize an annular chromatograph to achieve a continuous mode of operation in the separation of carbohydrates (Wolfgang, J. and Prior, A., Separation Science and Technology 32:71-82 (1997)). Thus, the specific chromatographic method of generating raffinate may vary, but the underlying principle defining raffinate remains constant.

For exemplary purposes only, Applicants provide in Example 5 details for the production of raffinate for use as a cell growth medium supplement. As one skilled in the art would know, raffinate may be qualitatively characterized according to the specific amino acid produced in the fermentation medium from which the raffinate is isolated; for example, raffinate may be known as lysineraffinate when isolated from lysine fermentation medium, glycine-raffinate when isolated from glycine fermentation medium, isoleucine-raffinate when isolated from isoleucine fermentation medium, etc. It will be readily apparent to those skilled in the art that when the general term raffinate is used herein, the specific type of raffinate selected will depend upon practitioner design.

The example provided herein is exemplary for the production of raffinate, in particular for lysine-raffinate. As will be obvious to those skilled in the art, other methods may be utilized in the generation of raffinate.

Improved Raffinate Resistant Strains of the Invention 3.

Another object of the invention is drawn to microorganisms that have improved raffinate resistance and that produce an amino acid. As one skilled in the art will know, such microorganisms may selected to have improved resistance to any specific type of raffinate, for example, glycine-raffinate, valine-raffinate, isoleucine-raffinate, lysine-raffinate, etc. In a particularly preferred embodiment, the microorganisms have improved resistence to lysine-raffinate.

In a specific embodiment of the invention, the raffinate-resistant microorganisms are produced by a process wherein:

- a parental bacterial strain A is subjected to mutagenesis; (a)
- the mutagenized parental strain A is contacted with a (b) medium containing at least about 1% raffinate based on ammonia sulfate content;
 - a raffinate-resistant bacterial strain B is selected; and (c)
- amino acid production of said raffinate-resistant bacterial (d) strain B is determined.

Selection of parental bacterial strains, mutagenesis and the selection of microorganisms of the invention with improved raffinate resistance may be done as heretofore described.

5

20

5

20

an amino acid:

strain B; and

25

A more specific embodiment of the invention is drawn to Corynebacterium or Brevibacterium; especially favored are Corynebacterium or Brevibacterium that produce L-Ivsine.

The invention also provides a *Corynebacterium* strain producing at least about 10 g L-lysine/liter/ in 24 hours when grown in a medium containing at least about 1% raffinate.

A particularly favored embodiment of the invention is drawn to an L-lysine producing *Corynebacterium* strain, wherein said strain is selected from the group consisting of NRRL B-30059, NRRL B-30060, NRRL B-30061, NRRL B-30062, NRRL B-30063 and mutants thereof.

4. Amino Acid Production and Purification

Other embodiments of the invention are drawn to processes for the production of an amino acid in a raffinate-containing medium. Such processes involve (a) the culturing of an improved raffinate resistant bacterial strain and (b) recovery of the amino acid from culture media.

In a first specific embodiment, the invention provides a process for the production of an amino acid comprising:

- (a) culturing a bacterial B strain in a medium containing raffinate, whereby said strain is obtained by the following method:
 - (i) selecting a parental bacterial strain A that produces
 - (ii) subjecting said parental strain A to mutagenesis;
 - (iii) selecting an improved raffinate-resistant bacterial

(b) recovering the amino acid from the culture media.

Selection of parental bacterial strains, mutagenesis and the selection of microorganisms of the invention with improved raffinate resistance may be done as heretofore described.

25

In preferred embodiments of the invention, other processes are drawn to parental strains selected from the group consisting of L-lysine producing Corynebacterium and Brevibacterium microorganisms, and a most preferred embodiment of the invention is drawn to a parental strain that is Brevibacterium that produces the amino acid L-lysine.

The processes of the invention may further vary by way of the specific method of culturing the microorganisms of the invention. Thus, a variety of fermentation techniques are known in the art which may be employed in processes of the invention drawn to the production of amino acids.

Illustrative examples of suitable carbon sources include, but are not limited to: carbohydrates, such as glucose, fructose, sucrose, starch hydrolysate, cellulose hydrolysate and molasses; organic acids, such as acetic acid, propionic acid, formic acid, malic acid, citric acid, and fumaric acid; and alcohols, such as glycerol.

Illustrative examples of suitable nitrogen sources include, but are not limited to: ammonia, including ammonia gas and aqueous ammonia; ammonium salts of inorganic or organic acids, such as ammonium chloride, ammonium phosphate, ammonium sulfate and ammonium acetate; and other nitrogen-containing, including meat extract, peptone, corn steep liquor, casein hydrolysate, soybean cake hydrolysate and yeast extract.

Generally, amino acids may be commercially produced from the invention in fermentation processes such as the batch type or of the fed-batch type. In batch type fermentations, all nutrients are added at the beginning of the fermentation. In fed-batch or extended fed-batch type fermentations one or a number of nutrients are continuously supplied to the culture, right from the beginning of the fermentation or after the culture has reached a certain age, or when the nutrient(s) which are fed were exhausted from the culture fluid. A variant of the extended batch of fed-batch type fermentation is the repeated fed-batch or fill-and-draw fermentation, where part of the contents of the fermenter is removed at some time,

for instance when the fermenter is full, while feeding of a nutrient is continued. In this way a fermentation can be extended for a longer time.

Another type of fermentation, the continuous fermentation or chemostat culture, uses continuous feeding of a complete medium, while culture fluid is continuously or semi-continuously withdrawn in such a way that the volume of the broth in the fermenter remains approximately constant. A continuous fermentation can in principle be maintained for an infinite time.

In a batch fermentation an organism grows until one of the essential nutrients in the medium becomes exhausted, or until fermentation conditions become unfavorable (e.g., the pH decreases to a value inhibitory for microbial growth). In fed-batch fermentations measures are normally taken to maintain favorable growth conditions, e.g., by using pH control, and exhaustion of one or more essential nutrients is prevented by feeding these nutrient(s) to the culture. The microorganism will continue to grow, at a growth rate dictated by the rate of nutrient feed. Generally a single nutrient, very often the carbon source, will become limiting for growth. The same principle applies for a continuous fermentation, usually one nutrient in the medium feed is limiting, all other nutrients are in excess. The limiting nutrient will be present in the culture fluid at a very low concentration, often unmeasurably low. Different types of nutrient limitation can be employed. Carbon source limitation is most often used. Other examples are limitation by the nitrogen source, limitation by oxygen, limitation by a specific nutrient such as a vitamin or an amino acid (in case the microorganism is auxotrophic for such a compound), limitation by sulphur and limitation by phosphorous.

Methods for the recovery and purification of amino acids, particularly Llysine, are well known to those skilled in the art. Typically, an amino acid may be recovered from the growth medium by cation exchange, after centrifugation and filtration to remove cells. U.S. Patent No. 5,684,190 describes the recovery of an amino acid such as L-lysine that involves (1) passage of the amino acid containing aqueous solution over a primary cation exchange resin to absorb the amino acid

5

20

25

onto the resin at a pH lower than its isoelectric point, subsequently followed by elution of the amino acid by increasing the pH with ammonium hydroxide to produce a first solution; and (2) passage of the first solution over a secondary cation exchange resin in a similar fashion to further eliminate impurities.

Another example may be provided by U.S. Patent No. 4,714,767, which provides a process for separating basic amino acids from an aqueous solution using cation exchange resin towers in series. The process comprises repetitive adsorption and elution steps in sequence, wherein the washing water employed in the absorption and elution steps is obtained by recycling the latter portion of a liquid discharged from a first tower absorption step or elution step in a subsequent cycle.

Eluants obtained from such cation exchange isolation procedures may be concentrated by evaporation, which additionally provides for the elimination of ammonia. The amino acid may then be crystallized from solution with hydrochloric acid, producing for example L-lysine+HCl+2H₂O. After centrifugation or filtration, the isolated L-lysine crystals are dried.

Examples

Example 1

Mutagenesis, Screening And Selection for Improved Raffinate Resistant Microorganisms

The lysine producing strains such a T125, L58.23, and 96T116, whose growth is inhibited by higher concentrations of raffinate, were subjected to mutagenesis, and mutants showing resistance to higher concentrations of raffinate were recovered. For mutagenesis, bacterial cultures were grown to mid-log phase in medium B (Table 1), pelleted by centrifugation and resuspended in 2 mL of filter-steriled TM buffer in a 15 ml polypropylene conical tube (Tris.HCL 6.0g/L, maleic acid 5.8 g/L, (NH₄)₂SO₄ 1.0 g/L, Ca(NO₃)₂ 5 mg/L, MgSO₄-7H₂O 0.1 g/L,

20

FeSO4.7H2O 0.25 mg/L, adjusted to pH 6.0 using KOH). The 2 mL cell suspension was mixed with 50 µL of a 5.0 mg/L solution of N'-nitro-Nnitrosoguanidine (NTG), then incubated at 30°C for 30 minutes. An untreated cell suspension was similarly incubated as a control for estimating the kill rate. After incubation, 10 mL of TM buffer was added to each tube, and the cells were pelleted by centrifugation, washed twice in TM buffer, and resuspended in 4.0 mL of 0.1 M NaH₂PO₄ (phosphate buffer) adjusted to pH 7.2 using KOH. The washed cell suspensions were further diluted in phosphate buffer, and aliquots were spread on plates of medium A (Table 1). After incubation at 30°C for 4-6 days, colonies growing on medium A agar were picked and tested for improved potential to produce L-lysine from dextrose in shaker flasks and fermentors.

Example 2 The Growth of Strains in Raffinate Media

For each tested strain (Table 2), 0.1 mL of frozen culture was inoculated into a 250 mL baffled flask containing 20 mL raffinate medium C (Table 1), then incubated for 18 hours at 30°C, at 240 rpm. After incubation, 50 µl of culture was removed and diluted to a ratio of 1:100 in 0.1 N HC1 solution. The optical density (OD) of the diluted sample was measured at 660 nm with a spectrophotometer. The results are shown in Table 2. All strains with improved raffinate resistance (RF), L63.148, L64.132, L69.53, and L69.74, grew better (higher OD) than their parental strains, 108T125, LS8.23, and 96T116, in the raffinate medium C.

Example 3

Dextrose Consumption, Growth, and Lysine Production in Shaker Flask Fermentation

For each strain, 0.1 mL of a frozen culture was inoculated into a 250 mL baffled flask containing 20 mL of seed medium C and incubated for 18 hours at 30°C, 240rpm. Two mL of seed culture were used to inoculated 20 mL of fermentation medium D in a 250 mL baffled flask. The flasks were then shaken for 24 hours at 30 °C and 240 rpm. After 24 hours of fermentation, samples were removed for analysis. To measure dextrose concentrations, 100 µL of sample were removed and diluted 1:50 with deionized (DI) water and measured with a YSI biochemistry analyzer (Yellow Springs Instrument Co. Inc.). L-lysine concentrations were determined by HPLC. Optical density measurements were taken to measure growth as described in Example 2. Results are presented in Table 3; all raffinate resistant strains, L63.148, L64.132, L69.53 and L69.74, grew better, used dextrose more efficiently, and produced more L-lysine than their parent strains, 108T125, L58.23, and 96T116.

Example 4

Growth and L-Lysine Production in Bench Scale Fermentors

Bench scale fermentations were set up using a two stage inoculum protocol. The first stage media was composed of 50.0 g/l sucrose, 3.0 g/l K₂HPO₄, 3.0 g/l urea, 0.5 g/l MgSO₄ - 7H₂O, 30.0 g/l soy peptone, 5.0 g/l yeast extract, 0.765 mg/l biotin, 3.0 mg/l thiamine HCl, and 0.125 g/l niacinamide. A 2 liter baffled shake flask containing 500 mls of this media was inoculated with the culture and incubated at 30°C and 250 rpm for 19 hrs. At this point, 22.5 mls of the mature first culture was used to inoculate the second stage inoculum media.

The second stage inoculum was prepared with 3000 mls of medium in a 6.6 liter fermentor. The medium formulation was 20.0 g/l (db) corn steep liquor, 10.0 g/l ammonium sulfate as raffinate, 12.0 mg/l MnSO₄-H₂O, 3.0 mg/l biotin, 3.0

5

20

25

g/l thiamine HCl, 125 mg/l niacinamide, 0.5 mls l antifoam, and 60 g/l dextrose, sterilized separately as a 360 g/l solution and added to the fermentor just prior to inoculation. The fermentor was operated at 32°C, 1.2 vvm air, 600 rpm, and a pH control point of 7.2. pH control was accomplished by the addition of NH₃ or NH₄OH. After 18-20 hrs the inoculum was considered mature and used to inoculate the production stage vessel.

Production stage medium was composed of 40 g/l (db) corn steep liquor, 20 g/l ammonium sulfate as raffinate, 12.0 mg/l MnSO₄-H₂O, 0.75 mls/l antifoam and 12 g/l dextrose, sterilized separately as a 250 g/l solution and added just prior to inoculation. Media formulation was based on a 2.1 liter initial volume which includes 500 mls of mature second stage broth as inoculum. Operating parameters were the following: 32°C, 2.1 vvm air, and an initial and control point pH of 7.2. pH control was again done with NH₃ or NH₄0H. Agitation was initially 600 rpm, increased to 700 rpm at 9 hrs culture time and 900 rpm at 19 hrs culture time. The fermentation was fed on demand, as indicated by pH increases due to dextrose depletion, a mixture of dextrose and ammonium sulfate. The feed was prepared by sterilizing separately 2310 g dextrose + 800 mls water and a volume of raffinate containing a total of 176 g of ammonium sulfate, then combining the two solutions upon cooling to ambient temperature. Total fermentation time was 48 hrs. The vessel size was the same as that used for the second stage inoculum development.

Results of an experiment comparing the parent strain to the above described isolates in bench scale fermentation are presented in Table 4.

Example 5

Production of Raffinate

As previously described, raffinate may be qualitatively characterized according to the specific amino acid produced in the fermentation medium from which the raffinate is isolated. The example provided herein is for the production of lysine-raffinate. However, one skilled in the art would know, other types of

5

raffinate, e.g., valine- or isoleucine-raffinate, etc., may be similarly produced by simply starting with the appropriate fermentation broth, e.g., valine or isoleucine fermentation broth, etc.

As a first step in the production of lysine-raffinate, lysine fermentation broth is diluted to a lysine concentration of 65.5 g/l. After ultrafiltration to generate a permeate with a lysine concentration of 40.3 g/l, the permeate is then concentrated to 123 g/l lysine with a total dry solids concentration of 207 g/l.

The permeate concentrate is then fed into a chromatographic separation system, for example I-SEP or C-SEP produced by Advanced Separation Technologies Incorporated (St. Petersburg, FL). Ion exchange chromatographic separation systems are commonly known in the art, as exemplified by U.S. Patent Nos. 4,808,317 and 4,764,276, which are incorporated herein by reference. The waste effluent obtained therefrom is considered the "dilute lysine-raffinate" solution. The dilute lysine-raffinate solution has a pH of 5.1 and it contains 34.3 g/l ammonium sulfate and 2.8 g/l lysine with a total solids level 67 g/l.

The dilute lysine-raffinate solution is concentrated to 295 g/l total solids. Quantitated components of this "concentrated lysine-raffinate" solution include the following: 137.9 g/l ammonium sulfate, 14.8 g/l lysine, 8.7 g/l valine, 8.1 g/l alanine, 2.4 g/l lactic acid and 2.2 g/l acetic acid. This concentrated lysine-raffinate solution is used in media preparation.

 $\begin{tabular}{ll} \textbf{TABLES} \\ The following tables are referenced in the Examples section. \end{tabular}$

Table 1 Media Employed in Examples 1, 2, and 3

Ingredients (amount/L)	A	В	C	D
Glucose	20 g		30 g	68 g
Sucrose		50 g		
L-Alanine	0.5 g	0.5 g		
L-Methionine	0.5 g	0.5 g		
L-Threonine	0.25 g	0.25 g		
Biotin	0.05 mg	0.756 mg	$0.003~\rm{g}$	0.405 mg
Thiamine	0.2 mg	0.003 g	0.003~g	
Niacinamide	0.05 g	0.125 g	0.125 g	
Polypeptone Peptone (BBL)		20 g		
Beef Extract (BBL)		5 g		
Corn Steep Liquor ¹			20 g	
Raffinate ²	60 g		10 g	40 g
Urea	2.5 g	3 g		50 g
Amonia Sulfate	10 g			
K ₂ HPO ₄		3 g		
KH,PO4	1 g			
MgSO ₄ .7H ₂ O	0.4 g	0.5 g		
MnSO ₄ .H ₂ O	0.01 g		0.01 g	0.01 g
NaCl	1 g			
FeSO ₄ .7H ₂ O	0.01 g			
CaCO ₃			50 g	50 g
Agar	15 g			
pH (before autoclave)	7.2	7.3	7.4	7.4

 $[\]overline{\mbox{1.}}$ The amount of corn steep liquor is expressed as grams of dried solids per liter of medium.

5

 $^{2. \ \,}$ The amount of raffinate is expressed as grams of ammonia sulfate per liter of medium.

25

Table 2
The Growth of Strains in Medium C Containing Raffinate

Strain	108T125	L63.148	L58.23	L64.132	96T116	L69.53	L69.74
Type	Wild1	RF ²	Wild	RF	Wild	RF	RF
OD.	15.9	27.4	27.1	34.5	22.2	31.6	30.3

- 1. Strains 108T125, L58.23, and 96T116 are parent and wild type strains used to generate the improved raffinate resistant strains of the invention.
- 2. Strains L63.148, L64.132, L69.53, and L69.74 are improved raffinate resistant (RF) strains derived from their wild type parental strains as described.

Table 3
The Dextrose Consumption (Dex), Growth (OD₆₆₀), and Lysine
Production (Lys) of Strains in 24 hr Shaker Flask Fermentation in
Medium D

Strain	108T125	L63.148	L58.23	L64.132	96T116	L69.53	L69.74
Туре	Wild	RF	Wild	RF	Wild	RF	RF
Dex, g/L	25.9	66.7	40.6	68.8	45.8	78.8	76.6
OD_{660}	20.5	43.2	26.3	47.9	30.5	47.4	42.8
Lys, g/L	9.4	18.8	14.1	23.3	15.5	24.6	23.2

Table 4
Parent and Progeny Comparison of Growth (OD660)
and L-lysine Production in 6.6 1 fermentors

Strain		OD @ 660nm	Total Product ¹	g lysine/1/hr²
96T116	Wild	83.8	583 g	5.78
L69.53	RF	112.5	776 g	7.70
L69.74	RF	122.4	807 g	8.01
L69.100	RF	93.3	745 g	7.48

- 1. Total Product denotes total grams of lysine in the fermentor at harvest.
- 2. Calculation based on the initial 2.1 liter volume.

What Is Claimed Is:

- A method for the production of an improved raffinate-resistant, amino acid producing bacterial strain B comprising:
 - (a) subjecting a parental bacterial strain A to mutagenesis;
- (b) contacting said mutagenized parental strain A with a medium containing at least about 1% raffinate based on ammonia sulfate content;
 - (c) selecting a raffinate-resistant bacterial strain B; and
 - (d) determining amino acid production of said raffinateresistant bacterial strain B.
 - The method of Claim 1, wherein said parental bacterial strain is subjected to random chemical mutagenesis.
 - The method of Claim 1, wherein said parental bacterial strain is selected from a group consisting of:
 - (a) Corynebacterium sp.;
 - (b) Brevibacterium sp.;
 - (c) Escherichia coli; and
 - (d) Bacillus sp.
- 4. The method of Claim 1, wherein said bacterial strain B produces an amino acid selected from the group consisting of:
 - (a) glycine;
 - (b) alanine;
 - (c) methionine;
 - (d) phenylalanine;
 - (e) tryptophan;
 - (f) proline;
 - (g) serine;

25

- (h) threonine;
- (i) cysteine;
- (j) tyrosine;
- (k) asparagine;
- glutamine;
- (m) aspartic acid;
- (n) glutamic acid;
- (o) lysine;
- (p) arginine;
- (q) histidine;
- (r) isoleucine;
- (s) leucine; and
- (t) valine.
- The method of Claim 1, wherein said parental bacterial strain is Corynebacterium sp. producing L-Lysine.
- 6. A bacterial strain B that produces an amino acid produced by a process wherein:
 - (a) a parental bacterial strain A is subjected to mutagenesis;
- (b) the mutagenized parental strain is contacted with a medium containing at least about 1% raffinate based on ammonia sulfate content;
- $\begin{tabular}{ll} (c) & raffinate-resistant bacterial strain B is selected from said mutagenized parental strain; and \\ \end{tabular}$
- (d) amino acid production of said bacterial strain B is determined.

The bacterial strain of Claim 6, wherein the parental bacterial strain

5

20 25 isoleucine; (r) leucine; and (s) (t) valine.

- A Corynebacterium sp. strain producing at least about 10 g/l Llysine in 24 hours when grown in a medium containing at least about 1% raffinate.
- A Brevibacterium strain producing at least about 10 g/l L-lysine in 24 hours when grown in a medium containing at least about 1% raffinate.
- 11. An L-lysine producing bacterial strain, wherein said strain is selected from the group consisting of:
 - (a) NRRL B-30059;
 - (b) NRRL B-30060;
 - (c) NRRL B-30061;
 - (d) NRRL B30062;
 - (e) NRRL B-30063; and
 - (f) mutants of (a), (b), (c), (d) or (e).
 - 12. The strain of claim 11, wherein said strain is NRRL B-30059.
 - The strain of claim 11, wherein said strain is NRRL B-30060.
 - 14. The strain of claim 11, wherein said strain is NRRL B-30061.
 - 15. The strain of claim 11, wherein said strain is NRRL B-30062.
 - The strain of claim 11, wherein said strain is NRRL B-30063.

- 17. A process for the production of an amino acid comprising:
- (a) culturing a bacterium B in a medium containing raffinate, whereby said strain is obtained by the following method:
- selecting a parental bacterial strain A that produces an amino acid;
 - (ii) subjecting said parental strain to mutagenesis;
- (iii) selecting from said mutagenized parental strain, an improved raffinate-resistant bacterial strain B; and
 - (b) recovering the amino acid from the culture media.
- 18. The process of claim 17, wherein the media concentration of raffinate is at least about 1% based on ammonia sulfate content.
- The process of claim 17, wherein the amount of L-lysine produced is at least about 10 g/l L-lysine in 24 hours.
- 20. The process of claim 17, wherein the medium concentration of raffinate is at least about 1% based on ammonia sulfate content and the amount of L-lysine produced is at least about 10 g/l L-lysine in 24 hours.
- 21. The process of claim 17, wherein the raffinate concentration is about 5% based on ammonia sulfate content and the amount of L-lysine produced is at least about 10 g/l L-lysine in 24 hours.
- 22. The process of claim 17, wherein bacterium B is selected from the group consisting of:
 - (a) Corynebacterium sp.;
 - (b) Brevibacterium sp.;
 - (c) Escherichia coli; and
 - (d) Bacillus sp.


- 23. The process of claim 22, wherein the bacterium B is Corynebacterium sp. selected from the group consisting of:
 - (a) NRRL B-30059;
 - (b) NRRL B-30060;
 - (c) NRRL B-30061;
 - (d) NRRL B-30062; and
 - (e) NRRL B-30063; and
 - (f) mutants of (a), (b), (c), (d) or (e).

Novel Bacterial Strains, Methods of Preparing the Same and Use Thereof in Fermentation Processes for L-lysine Production

Abstract

The invention provides novel microorganisms, methods for the production thereof and novel processes for the production of amino acids. Mutagenesis of parental bacterial strains and selection of an improved raffinate-resistant phenotype enables the isolation of strains with enhanced growth properties that produce larger amounts of amino acid. Microorganisms of the invention are produced from amino acid producing parental strains such as Corynebacterium or Brevibacterium, particularly preferred are parental strains that produce L-lysine.

A269-15 wpd






FIG.1B

Declaration for Patent Application

Docket Number: 1533.0730001/SRL/TBB

As a below named inventor	r, I hereby declare that:			
My residence, post office a	address and citizenship are as stated below	ow next to my name.		
plural names are listed belo Novel Bacterial Strai	first and sole inventor (if only one nam ow) of the subject matter that is claimed ns, Methods of Preparing the Same and cation of which is attached hereto unles	I and for which a patent is sought of Use Thereof in Fermentation Proc	n the invention	entitled
	.; Application Number or PCT Internation (if applicable).		; and	
I hereby state that I have re amended by any amendme	eviewed and understand the contents of nt referred to above.	the above identified specification,	including the cl	aims, as
I acknowledge the duty to	disclose information that is material to	patentability as defined in 37 C.F.R	§ 1.56.	
inventor's certificate, or § 3 United States listed below,	ority benefits under 35 U.S.C. § 119(a)- 365(a) of any PCT international applica and have also identified below any for aving a filing date before that of the app	tion, which designated at least one eign application for patent or inven	country other tl tor's certificate,	han the
Prior Foreign Application(s)		Priority	Claimed
(Application No.)	(Country)	(Day/Month/Year Filed)	□ Yes	□ No
(Application No.)	(Country)	(Day/Month/Year Filed)	□ Yes	□ No
I hereby claim the benefit	under 35 U.S.C. § 119(e) of any United	l States provisional application(s) li	sted below.	
60/146,350 (Application No.)	August 2, 1999 (Filing Date)			
(Application No.)	(Filing Date)			
international application de this application is not disclusive paragraph of 35 U.S.C. § 1	under 35 U.S.C. § 120 of any United St esignating the United States, listed belo losed in the prior United States or PCT 112, I acknowledge the duty to disclose available between the filing date of the	w and, insofar as the subject matter international application in the mar information that is material to pate	of each of the mer provided by ntability as defi	y the first ined in 37
(Application No.)	(Filing Date)	(Status - patented, p	ending, abando	ned)
(Application No.)	(Filing Date)	(Status - patented, p	ending, abando	ned)

TOTAL TENEDE

Send Correspondence to:

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C. 1100 New York Avenue, N.W. Suite 600

Washington, D.C. 20005-3934

Direct Telephone Calls to:

(202) 371-2600

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor	Hungming J. Liaw	
Signature of sole or first inventor	Hungming J. Liaw	2/12/0D
Residence	Champaign, Illinois	,
Citizenship	Taiwan, Republic of China (dual citiconchin)	12/08
Post Office Address	1013 Galen Drive	
	Champaign, Illinois 61821	
Full name of second inventor	John Eddington	:
Signature of second inventor	John M. Gillington	1/12/00 Date
Residence	Cocatur, Illinois	, ,
Citizenship	USA	
Post Office Address	36 Norwood Drive	
	Decatur, Illinois 62521	
Full name of third inventor	Yueqin Yang	
Signature of third inventor	yw gi yong	7/12/00 Date X
Residence	Decatur, Illinois	
Citizenship	USA	
Post Office Address	4661 Willow Brook Lane	
	Decatur, Illinois 62521	

Full name of fourth inventor	Richard Dancey	
Signature of fourth inventor	Andline	7/12/00 Date
Residence	Mt. Zion, Illinois	, ,
Citizenship	USA	
Post Office Address	1235 Nolan Avenue	
	Mt. Zion, Illinois 62549	
Full name of fifth inventor	Stacia Swisher	
Signature of fifth inventor	Marathet	7/12/00 Date
Residence	Decatur, Illinois	, ,
Citizenship	USA	
Post Office Address	1643 E. Hinsdale	
	Decatur, Illinois 62526	
Full name of sixth inventor	Weiying Mao	
Signature of sixth inventor	Weizing mas	7/P/ou Date
Residence	Decatur, Illinois	,
Citizenship	USA	
Post Office Address	4661 Willow Brook Lane	
	Decatur, Illinois 62521	

P. AUSSER SUDENISSEBUDECS (1533073) SKGF Rev. 9/2/98 mac (Supply similar information and signature for subsequent joint inventors, if any)

POWER OF ATTORNEY FROM ASSIGNEE

Archer-Daniels-Midland Company , a corporation of <u>Delaware</u> , having a principal place of business
at 4666 Faries Parkway, Decatur, Illinois 62526, is assignee of the entire right, title and interest for the United
States of America (as defined in 35 U.S.C. § 100), by reason of an Assignment to the Assignee executed on
August 30, 1999 of an invention known as Novel Bacterial Strains, Methods of Preparing the Same
and Use Thereof in Fermentation Processes for L-Lysine Production (Attorney Docket
No. 1533.0730001/SRL/TBB), which is disclosed and claimed in a patent application of the same title by the
inventor(s) Hungming J. Liaw, John Eddington, Yueqin Yang, Richard Dancey, Stacia Swisher and Weiying
Mao (said application filed on (herewith) at the U.S. Patent and Trademark Office, having Application
Number (to be assigned)).

The Assignee hereby appoints the following U.S. attorneys to prosecute this application and any continuation, divisional, continuation-in-part, or reissue application thereof, and to transact all business in the U.S. Patent and Trademark Office connected therewith: Robert Greene Sterne, Esq., Reg. No. 28,912; Edward J. Kessler, Esq., Reg. No. 25,688; Jorge A. Goldstein, Esq., Reg. No. 29,021; Samuel L. Fox, Esq., Reg. No. 30,353; David K.S. Cornwell, Esq., Reg. No. 31,944; Robert W. Esmond, Esq., Reg. No. 32,893; Tracy-Gene G. Durkin, Esq., Reg. No. 32,831; Michele A. Cimbala, Esq., Reg. No. 33,851; Michael B. Ray, Esq., Reg. No. 33,997; Robert E. Sokohl, Esq., Reg. No. 36,013; Eric K. Steffe, Esq., Reg. No. 36,688, Michael Q. Lee, Esq., Reg. No. 35,239; Steven R. Ludwig, Esq., Reg. No. 36,203; Raz E. Fleshner, Esq., Reg. No. 34,331; John M. Covert, Esq., Reg. No. 38,759; and Linda E. Alcorn, Esq., Reg. No. 39,588. The Assignee hereby grants said attorneys the power to insert on this Power of Attorney any further identification that may be necessary or desirable in order to comply with the rules of the U.S. Patent and Trademark Office.

Send correspondence to:

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C. 1100 New York Avenue, N.W. Suite 600 Washington, D.C. 20005-3934 U.S.A.

Direct phone calls to 202-371-2600.

FOR:	Archer-Daniels-Midland Company	
SIGNATURE:	Mmus	
BY:	David J. Smith	
TITLE:	Vice President, Secretary & General Counsel	
DATE:	\ JULY 18, 2000	